6.3.2. Certificate Operational Periods and Key Pair Usage Periods 63
6.4. ACTIVATION DATA 64
6.4.1. Activation Data Generation and Installation 64
6.4.2. Activation Data Protection 64
6.4.3. Other Aspects of Activation Data 64
6.5. COMPUTER SECURITY CONTROLS 64
6.5.1. Specific Computer Security Technical Requirements 64
6.5.2. Computer Security Rating 65

1. INTRODUCTION

4ÈÉÓ ÄÏÃÕ Í ÅÎÔ ÉÓ ÔÈÅ $ÉÇÉ#ÅÒÔÏ)ÎÃ¡ ¡Ô$ÉÇÉ#ÅÒÔÕÇ #ÅÒÔÉÆÉÃÁÔÉÏÎ 0ÒÁÃÔÉÃÅÓ 3ÔÁÔÅ Í ÅÎÔ ¡#03Ç ÔÈÁÔ ÏÕÌÉÎÅÓ ÔÈÅ principles and practices related to $ÉÇÉ#ÅÒÔÍÓ certification and time-stamping services. This CPS applies to all ÅÎÔÉÔÉÅÓ ÐÁÒÔÉÃÉÐÁÔÉÎÇ ÉÎ ÏÕÉÎ $ÉÇÉ#ÅÒÔÍÓ ÃÅÒÔÉÆÉÃÁÔÅ Í Å-stamping services, excluding participants in $ÉÇÉ#ÅÒÔÍÓ 0ÒÉÖÁÔÅ 0+) services, which are not cross-certified or publicly trusted. This CPS only addresses the actions of DigiCert and not those of third parties operating with cross certificates issued by DigiCert. Specific requirements regarding those Certificates are set forth in the individual agreements with the appropriate $ÉÇÉ#ÅÒÔ ÃÕÓÔÏ Í ÅÒ ÁÎÄ ÉÎ ÔÈÁÔ ÔÈÉÒÄ ÐÁÒÔÙ¡Ó Ï × Î #03¡

This CPS describes the practices used to comply with the current versions of the following policies, guidelines, and requirements:

Name of Policy/Guideline/

If any inconsistency exists between this CPS and the normative provisions of the foregoing policies, guidelines, and ÒÅÑÕÉÒÅ Í ÅÎÔÓ ¡Õ ! ÐÐÌÉÃÁÂÌÅ 2ÅÑÕÉÒÅ Í ÅÎÔÓõqĭ then the Applicable Requirements take precedence over this CPS.

This CPS is only one of several documents that control $ÉÇÉ#ÅÒÔÍÓ certification services.

The OID arc

Subscribers are not always the party identified in a Certificate, such as when Certificates are issued to an ÏÒÇÁÎÉÚÁÔÉÏÎîÓ employees. The *Subject* of a Certificate is the party named in the Certificate. A *Subscriber*, as used herein, may refer to the Subject of the Certificate and the entity that contracted with DigiCert for the #ÅÒÔÉ£ÉÃÁÔÅîÓ ÉÓÓÕÁÎÃÅ OÒÉÏÒ ÔÏ ÖÅÒÉ£ÉÃÁÔÉÏÎ ÏÆ ÉÄÅÎÔÉÙ ÁÎÄ ÉÓÓÕÁÎÃÅ ÏÆ #ÅÒÔÉ£ÉÃÁÔÅî Á 3ÕÂÓÃÒÉÂÅÒ És an *Applicant*.

CAs are technically also subscribers of certificates within the DigiCert Public PKI, either as the primary Certificate Authority issuing a self- signed Certificate to itself, or as an Issuer CA issued a Certificate by a superior CA. References to ÒÅÎÄ ÅÎÔÉÔÉÓ and ÒÓÕÂÓÃÒÉÂÅÒÓ in this CPS, however, apply only to end-user Subscribers.

1.3.4. Relying Parties

Relying Parties are entities that act in reliance on a Certificate and/or digital signature issued by DigiCert. Relying parties must check the appropriate CRL or OCSP response prior to relying on information featured in a

This CPS covers several different types of end entity Certificates/tokens with varying levels of assurance. The following table provides a brief description of the appropriate uses of each. The descriptions are for guidance only and are not binding.

Certificate	Appropriate Use
DV SSL/TLS Server Certificates	Used to secure online communication where the risks and consequences of data compromise are low, including non-monetary transactions or

(d)-10(i)5(g.)] TJETQq204.41 614.86 333.77 46.92 reW* nBT/F1 9.948.391 0

1.4.2. Prohibited Certificate Uses

Certificates do not guarantee that the Subject is trustworthy, honest, reputable in its business dealings, safe to do business with, or compliant with any laws. A Certificate only establishes that the information in the Certificate was verified in accordance with this CPS when the Certificate issued. Code signing Certificates do not indicate that the signed code is safe to install or free from malware, bugs, or vulnerabilities.

Certificates shall be used only to the extent the use is consistent with applicable law, and

For anyone listed in section 4.9.2 of this CPS and the CAB Forum Baseline Requirements that needs assistance with revocation or an investigative report, DigiCert provides this page for reporting and submitting requests with all of the necessary information as outlined in section 4.9: https://problemreport.digicert.com/

If the problem reporting page is unavailable, there is a

“EV Guidelines” is defined in section 1.1.

“Key Pair” means a Private Key and associated Public Key.

“OCSP Responder” means an online software application operated under the authority of DigiCert and connected to its repository for processing certificate status requests.

“Private Keyõ means the key of a Key Pair that is kept secret by the holder of the Key Pair, and that is used to create digital signatures and/or to decrypt electronic records or files that were encrypted with the corresponding Public Key.

“Public Keyõ means the key of a Key Pair that may be publicly disclosed by the holder of the corresponding Private Key and that is used by a Relying Party to verify digital signatures created with the holder's corresponding Private Key and/or to encrypt messages so that they can be decrypted only with the holder's corresponding Private Key.

“Relying Party” means an entity that relies upon either the information contained within a Certificate or a time-stamp token.

“Relying Party Agreement” means an agreement which must be read and accepted by the Relying Party prior to validating, relying on or using a Certificate or accessing or using $ÉÇÉ#ÅÒÔÕÓ Repository. The Relying Party Agreement is available for reference through a DigiCert online repository.

ubscriber” means either the entity iden

the

TST	Time-Stamp Token
TTL	Time To Live

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

DigiCert makes its root Certificates, revocation data for issued digital Certificates, CPs, CPSs, Relying

3. IDENTIFICATION AND AUTHENTICATION

3.1.1. Type of Names

For TLS and s/MIME Certificates are issued with a non-null subject Distinguished Name (DN) that complies

3.1.6. Recognition, Authentication, and Role of Trademarks

For publicly-trusted TLS/SSL and EV SSL Certificates, DigiCert implements a process that prevents Certificates from including a name, DBA, tradename, trademark, address, location, or other text that refers to a specific natural person or Legal Entity unless DigiCert has verified this information in accordance with the following:

Publicly-trusted OV/DV TLS/SSL:

- CAB Forum Baseline Requirements; and
- Section 3.2 of the CP and this CPS.

Publicly-

response using

for each authorized Domain Name, performed in accordance with BR section 3.2.2.4.15;

16. #Ï Î ÆÉÒ Í É Î Ç ÔÈÅ ! ÐÐÌÉÃÁ Î Ôßß Ó Ã Ï Î ÔÒ Ï Ì Ï ÖÅÒ ÔÈÅ FQDN by calling the DNS TXT Record Phone #Ï Î ÔÁÃÔßÓ phone number and obtaining a confirming response to validate the authorized Domain Name. Each phone call can confirm control of multiple authorized Domain Names provided that the same DNS TXT Record Phone Contact phone number is listed for each authorized Domain Name being verified and they provide a confirming response for each authorized Domain Name, performed in accordance with BR section 3.2.2.4.16;
17. Confirming the Applicant's control over the FQDN by calling ÔÈÅ $. 3 # ! ! 0ÈÏ Î Å #Ï Î ÔÁÃÔßÓ ÐÈÏ Î Å Î Õ Í Â Å Ò Á Î Ä Ï Â Ô Á É Î Á confirming response to validate the ADN. Each phone call can confirm control of multiple ADNs provided that the same DNS CAA Phone Contact phone number is listed for each ADN being verified and they provide a confirming response for each ADN, performed in accordance with BR section 3.2.2.4.17;
18. Confirming the Applicant's control over the FQDN by verifying that the Request Token or Random Value is contained in the contents of a file (such as a Request Token, Random Value that does not appear in the request used to retrieve the file and receipt of a successful HTTP 2xx status code response from the request) performed in accordance with BR section 3.2.2.4.18; and
19. Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method defined in section 8.3 of RFC 8555, performed in accordance with BR section 3.2.2.4.19 and section 8.3 of RFC 8555 as prescribed.
20. (BR section 3.2.2.4.20) is not used by Digicert to validate domains.

IV and OV SSL/TLS Server, Object Signing, and Device Certificates (excluding device Certificates issued under the Grid-only arc)	DigiCert validates ôÈÅ ! ÐÐÌÉÃÁÎôïÓ right to use or control the Domain Name(s) and the country code that will be listed in the Certificate using the DV SSL/TLS Server Certificate validation procedures above. DigiCert also verifies the identity and address of the Applicant using the procedures found in section 3.2.2.1 or section 3.2.3 of the Baseline Requirements. DigiCert verifies any DBA included in a Certificate using a third party or government source, attestation letter, or reliable form of identification in accordance with section 3.2.2 of the Baseline Requirements.
Device Certificates issued under the Grid-only arc	An RA or Trusted Agent validates the ÁÐÐÌÉÃÁÎôïÓ information in accordance with an RPS (or similar document) applicable to

Before issuing a certificate with a wildcard character (*) in a CN or subjectAltName of type DNS-ID, DigiCert follows a documented procedure that determines if the wildcard character occurs in the first label position ô Ï ÔÈÅ ÌÅÆÔ ÏÆ Á ÒÒÅÇÉÓÔÔÙ-Ã Ï Î ÔÔ Ï ÌÌÅÄõ ÌÁÂÅÌ Ï Ò ÒÐÕÂÌÉÃ ÓÕÆÆÉØõ ¡Å‰Ç‰ Ôœ‰Ã Ï Í õ℅ Ôœ‰Ã Ï ‰ÕËõ℅ ÓÅÅ 2&# φτυτ section 8.2 for further explanation).

If a wildcard would fall within the label immediately to the left of a registry-controlled /1 or public suffix, DigiCert refuses issuance unless the applicant proves its rightful control of the entire Domain Namespace. (e.g. $ÉÇÉ#ÅÒÔ ×ÉÌÌ Î Ï Ô ÉÓÓÕÅ Ôœ‰Ã Ï ‰ÕËõ Ï Ò Ôœ‰Ì Ï ÃÁÌõ℅ ÂÕÔ - ! 9 ÉÓÓÕÅ Ôœ‰ÅØÁ Í ÐÌÅ‰Ã Ï Í õ to Example Co.).

For EV Certificates, DigiCert may include a Wildcard Domain Name in the Subject Alternative Name extension and Subject #Ï Í Ï Î . Á Í Å ÆÉÅÌÄ ÐÒ Ï ÖÉÄÅÄ ÔÈÁÔ ÒÏ Î É Ï Î õ ÉÓ ÔÈÅ ÒÉÇÈÔ-most Domain Label of the FQDN portion of the Wildcard Domain Name and the inclusion of the Wildcard Domain Name complies with section 3.2.2.6 of the CAB Forum Baseline Requirements. In all other cases, DigiCert will not include a Wildcard Domain Name in the Subject Alternative Name extension or Subject Common Name field of an EV Certificate.

For publicly-trusted TLS, if the Applicant requests a Certificate that will contain Subject Identity Information comprised only of the countryName field, then DigiCert or the RA verifies the country

refuses

3.2.3. Authentication of Individual Identity

If a Certificate will contain the identity of an individual, then DigiCert or an RA validates the identity of the individual using the following procedures:

Certificate	Validation
IV (Individual Validated) SSL/TLS Server Certificates and Object Signing Certificates (issued to an individual)	1. a. DigiCert or the RA obtains and reviews a legible copy, which discernibly shows the ! ÐÐÌÉÃÁÎôõÓ face, of at least one currently valid government-ÉÓÓÕÅÄ ÐÈÏôÏ)$ ¡ÐÁÓÓÐÏÒÔñ ÄÒÉÖÅÒõÓ ÌÉÃÅÎÓÅñ military ID, national ID, or equivalent document type). DigiCert or the RA inspects the copy for any indication of alteration or falsification. b. For Object Signing Certificates, a validation specialist also engages in a videoconference call with the Applicant, who must present their photo ID and sign a Declaration of Identity, witnessed by the validation specialist, which is recorded as evidence. 2. DigiCert may additionally cross-ÃÈÅÃË ôÈÅ ! ÐÐÌÉÃÁÎôõÓ ÎÁÍÅ and address for consistency with available third-party data sources. 3. If further assurance is required, then the Applicant must provide an additional form of identification, such as recent utility bills, financial account statements, credit card, an additional ID credential, or equivalent document type. 4. DigiCert or the RA confirms that the Applicant is able to receive communication by telephone, postal mail/courier, or fax.)Æ $ÉÇÉ#ÅÒÔ ÃÁÎÎÏô ÖÅÒÉÆÙ ôÈÅ ! ÐÐÌÉÃÁÎôõÓ ÉÄÅÎôÉôÙ ÕÓÉÎÇ ôÈÅ procedures described above, then the Applicant must submit a Declaration of Identity that is witnessed and signed by a Registration Authority, Trusted Agent, notary, lawyer, accountant, postal carrier, or any entity certified b366.67 315.41 Tm

Level 2 Client Certificates (email certificate) and IGTF Classic/MICS Certificates	The CA or an RA confirms that the following are consistent with the application and sufficient to identify a unique individual: (a) the name on the government-issued photo-ID referenced below; (b) date of birth; and (c) current address or personal telephone number. 1. In-person appearance before a person performing identity proofing for a Registration Authority or a Trusted Agent (or entity

Level 3 Client Certificates	In-person proofing[4] before an RA, Trusted Agent, or an entity certified by a state, federal, or national entity that is authorized to confirm identities[5]. The information must be collected and stored in a secure manner. Required identification consists of one unexpired Federal/National Government-issued Picture I.D. (e.g. a passport), a REAL ID, or two unexpired Non-Federal Government I.D.s, one of which must be a photo I.D. Acceptable forms of government ID include a driver's license, state-issued photo ID card, passport, national identity card, permanent resident card, trusted traveler card, tribal ID, military ID, or similar photo identification document. See e.g. USCIS Form I-9. The person performing identity proofing examines the credentials and determines whether they are authentic and unexpired and checks the provided information (name, date of birth, and current address) to ensure legitimacy. DigiCert also employs the in-person antecedent process to meet this in-person identity proofing requirement. Under this definition, historical in-person identity proofing is sufficient if (1) it meets the thoroughness and rigor of in-person proofing described above, (2) supporting ID proofing artifacts exist to substantiate the antecedent relationship, and (3) mechanisms are in place that bind the individual to the asserted identity. In one use case, the Applicant (e.g. an employee) has been

DigiCert issues Level 1, 2, 3

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1.1. Who Can Submit a Certificate Application

Either the Applicant or an individual authorized to request Certificates on behalf of the Applicant may submit certificate requests. Applicants are responsible for any data that the Applicant or an agent of the Applicant supplies to DigiCert.

EV Certificate requests must be submitted by an authorized Certificate Requester and approved by a Certificate Approver. The certificate request must be accompanied by a signed (in writing or electronically) Subscriber Agreement from a Contract Signer.

DigiCert does not issue Certificates to entities on a government denied list maintained by the United States or that is located in

rejected Certificate and is not obligated to disclose the reasons for a rejection. Rejected Applicants may re-apply.

Subscribers are required to check the #ÅÒÔÉÆÃÁÔÅïÓ contents for accuracy prior to using the certificate.

4.2.3. Time to Process Certificate Applications

UÎÄÅÒ ÎÏÒ Í ÁÌ ÃÉÒÃÕ Í ÓÔÁÎÃÅÓñ $ÉÇÉ#ÅÒÔ ÖÅÒÉÆÉÅÓ ÁÎ ! ÐÐÌÉÃÁ ÎÔÏÓ É Î Æ ÏÒ Í ÁÔÉÏ Î ÁÎÄ ÉÓÓÕÅÓ Á ÄÉÇÉÔÁÌ #ÅÒÔÉÆÉÃÁÔÅ within a reasonable time frame. Issuance time frames are greatly dependent on when the Applicant provides the details and documentation necessary to complete validation. For non-EV SSL/TLS Server Certificates, DigiCert will usually complete the validation process and issue or reject a certificate application within two working days after receiving all of the necessary details and documentation from the Applicant, although events outside of the control of DigiCert can delay the issuance process.

4.3.1. CA Actions during Certificate Issuance

DigiCert confirms the source of a certificate request before issuance. For TLS certificates, DigiCert does not issue end entity Certificates directly from its root Certificates. DigiCert logs those SSL/TLS Server Certificates intended to be trusted in Chrome in two or more Certificate Transparency databases. See RFC 6962. Certificate issuance by the Root CA requires an individual authorized by DigiCert (i.e. the CA system operator, system officer, or PKI administrator) to deliberately issue a direct command in order for the Root CA to perform a certificate signing operation. Databases and CA processes occurring during certificate issuance are protected from

q 0.00000912 0 612 792 re W* n BT /F1 9.96 Tf 1 0 0 1 [illegible] Tm [illegible] Tj ET

4.6.4. Notification of New Certificate Issuance to

4.7.7. Notification of Certificate Issuance by the CA to Other Entities

RAs may receive notification of a #ÅÒÔÉ£ÈÃÁÔÅî0 rekey if the RA was

6. For Adobe Signing Certificates, Adobe has requested revocation; or
7. For code signing Certificates, the Certificate was used to sign, publish, or distribute malware, code that is downloaded without user consent, or other harmful content.

DigiCert always revokes a Certificate if the binding between the subject and the ÓÕÂÉÅÃÔÎÓ Public Key in the certificate is no longer valid or if an associated Private Key is compromised.

DigiCert will revoke a Subordinate CA Certificate within seven (7) days after receiving and confirming one or more of the following occurred:

1. The Subordinate CA requests revocation in writing;
2. The Subordinate CA notifies DigiCert that the original Certificate request was not authorized and does not retroactively grant authorization;
3. $ÉÇÉ#ÅÒÔ ÏÂÔÁÉÎÓ ÅÖÉÄÅÎÃÅ ÔÈÁÔ ÔÈÅ 3ÕÂÏÒÄÉÎÁÔÅ # ! ÎÓ OÒËÖÁÔÅ +ÅÙ ÃÏÒÒÅÓÐÏ ÎÄÉÎÇ ÔÏ ÔÈÅ OÕÂÌÉÃ +ÅÙ É Î the Certificate suffered a key compromise or no longer complies with the requirements of sections 6.1.5 and 6.1.6 of the CAB forum baseline requirements or any section of the Mozilla Root Store policy;
4. DigiCert obtains evidence that the CA Certificate was misused and/or used

Used

3. If the request is authenticated as originating from the Subscriber or an authorized party, DigiCert revokes the Certificate based on the timeframes listed in 4.9.1 as listed for the reason for revocation.
4. For requests from third parties, DigiCert personnel begin investigating the request within 24 hours after receipt and decide whether revocation is appropriate based on the following criteria:
    a. the nature of the alleged problem,
    b. the number of reports received about a particular Certificate or website,
    c. the identity of the complainants (for example, complaints from a law enforcement official that a web site is engaged in illegal activities have more weight than a complaint from a consumer alleging they never received the goods they ordered), and
    d. relevant legislation.
5. If DigiCert determines that revocation is appropriate, DigiCert personnel revoke the Certificate and update the Certificate Status.

If DigiCert deems appropriate, DigiCert may forward the revocation reports to law enforcement. DigiCert maintains a continuous 24/7 ability to internally respond to any high priority revocation requests and certificate problem reports on the following website: https://www.digicert.com/certificate-revocation.htm and other resources as indicated in section 1.5.2 of this CPS.

4.9.4. Revocation Request Grace Period

Subscribers are required to request revocation within one day after detecting the loss or compromise of the Private Key. DigiCert may grant and extend revocation grace periods on a case-by-case basis. DigiCert reports the suspected compromise of its CA Private Key and requests revocation to both the policy authority and operating authority of the superior issuing CA within one hour of discovery.

4.9.5. Time within which CA Must Process the Revocation Request

DigiCert will revoke a CA Certificate within one hour after receiving clear instructions from the DCPA.

Within 24 hours after receiving a Certificate problem report or a revocation request, DigiCert investigates the facts and circumstances involved with the report and will provide a preliminary report on its findings to both the Subscriber.96 Tfe29.96 5972i] TJETQq0.00000912 0 612 792 reW* nBT/F1 9.96 Tf1 0 0 1 1.sotit(c)-4(r)4(i)-10(b)5(e)-5(r)

4.9.7. CRL Issuance Frequency

For publicly-trusted TLS Subscriber certificates:

DigiCert updates and reissues CRLs at least once every seven days, and the value of the nextUpdate field is

For Publicly Trusted SSL

outlined as revocation in the FBCA CP. For all other Certificate types, not applicable.

A 3ÕÂÓÃÒÉÂÅÒßÓ subscription service ends if its Certificate expires or is revoked or if the applicable Subscriber Agreement expires without renewal.

4.12.1. Key Escrow and Recovery Policy and Practices

DigiCert never escrows CA Private Keys under this CPS.

DigiCert may escrow Subscriber key management keys to provide key recovery services. If done, DigiCert encrypts and protects escrowed Private Keys using the same or a higher level of security as used to generate and deliver the Private Key. Enterprise customers utilizing key escrow software provided by DigiCert may ÅÓÃÒÏ × ËÅÙÓ ×ÉÔÈÉÉÎ ÔÈÃÉÒ ÏÒ $ÉÇÉ#ÅÔÔßÓ É ÎÆÒÁÓÔÒÕÃÔÕÒÒÅß

DigiCert or Issuer CAs allow Subscribers and other authorized entities to recover escrowed (decryption) Private Keys. DigiCert and Issuer CAs use trusted personnel vetted per section 5.3 of the CP and this CPS during key recovery to prevent unauthorized access to Á 3ÕÂÓÃÒÉÂÅÒßÓ ÅÓÃÒÏ×ÄÄ OÒÉÖÁÔÅ +ÅÙÓß DigiCert accepts key recovery requests:

- From the Subscriber or 3ÕÂÓÃÒÉÂÅÒßÓ organization, if the Subscriber has lost or damaged the private-key token;
- From the 3ÕÂÓÃÒÉÂÅÒßÓ organization, if the Subscriber is not available or is no longer part of the organization that contracted with DigiCert for Private Key escrow;
- From an authorized investigator or auditor, if the Private Key is part of a required investigation or audit;
- From a requester authorized by

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1.1. Site Location and Construction

DigiCert performs its CA and TSA operations from secure data centers. The data centers are equipped with ÌÏÇÉÃÁÌ Á Î Ä ÐÈÙÓÉÃÁÌ ÃÏ Î ÔÒÏÌÓ ÔÈÁÔ Í ÁËÅ $ÉÇÉ#ÅÒÔîÓ # ! Á Î Ä 43 ! ÏÐÅÒÁÔÉÏ Î Ó É Î ÁÃÃÅÓÓÉÂÌÅ ÔÏ Î Ï Î-trusted personnel. DigiCert operates under a security policy designed to detect, deter, and prevent unauthorized access to DigiCert's operations.

5.1.2. Physical Access

Systems providing online certificate issuance (e.g. Issuer CAs) are located in secure data centers. DigiCert protects such online equipment (including certificate status servers and CMS equipment) from unauthorized access and implements physical controls to reduce the risk of equipment tampering. Access to the data

To the extent one of the requirements imposed by this section cannot be met due to a prohibition or limitation in local law, the investigating entity shall utilize a substitute investigative technique permitted by law that provides substantially similar information, including but not limited to obtaining a background check performed by the applicable governmental agency.

The highest education degree obtained is verified regardless of the date awarded. Based upon the information obtained during the background check, the human resources department makes an adjudication decision, with the assistance of legal counsel when necessary, as to whether the individual is suitable for the position to which they will be assigned. Background checks are refreshed and re-adjudication occurs at least every five years.

These procedures are subject to any limitations on background checks imposed by local law. To the extent one of the requirements imposed by this section cannot be met by DigiCert due to a prohibition or limitation in local law, DigiCert utilizes a substitute investigative technique permitted by law that provides substantially similar information, including but not limited to obtaining a background check performed by the applicable governmental agency.

5.3.3. Training Requirements

DigiCert provides relevant skills training in $ÉÇÉ#ÅÔÔîÓ PKI and TSA operations for the personnel performing information verification duties including:

1. basic Public Key Infrastructure (PKI) knowledge;
2. software versions used by DigiCert;
3. authentication and verification policies and procedures;
4. DigiCert security principles and mechanisms;
5. disaster recovery and business continuity procedures;
6. common threats to the validation process, including phishing and other social engineering tactics; and
7. CAB forum guidelines and other applicable industry and government guidelines.

DigiCert maintains records of who received training. Registration Officers must have the minimum skills necessary to satisfactorily perform validation duties before being granted validation privileges. All Registration Officers are required to pass an internal examination on the EV Guidelines and the Baseline Requirements prior to 0 1 124.34 35g2 reW* nBT/F1 9.96 Tf1 0 0 1 385.15 376.39 Tm0 g0 G[(mus)-4(t)] TJETQq0.00000912 0

r* nBT/F1 9.96 Tf1 0 0 1 385.15 376.39 Tm0 g0 G[(mus)-4(t)] TJETQq0.00000912 0 0 1 124.34 35g2 reW* nBT/F1 9.96 Tf1 0 0 1 385.15 376.39 Tm0 g0 G[(mus)-4(t)] TJETQq0.00000912 0

5.4.1. Types of Events Recorded

$ÉÇÉ#ÅÒÔßÓ ÓÙÓÔÅ Í Ó ÒÅÑÕÉÒÅ ËÄÅÎÔÉ¢ÉÃÁÔÉÏ Î Á Î Ä ÁÕÔÈÅÎÔÉÃÁÔÉÏ ÁÔ ÓÙÓÔÅ Í ÌÏÇÏ Î) Í ÐÏÒÔÁÎÔ ÓÙÓÔÅ Í actions are logged to establish the accountability of the operators who initiate such actions.

DigiCert enables all essential event auditing capabilities of its CA and TSA applications in order to record the ÅÖÄ Î ÔÓ ÌÉÓÔÅÄ ÂÅÌÏ ×)£ $ÉÇÉ#ÅÒÔßÓ ÁÐÐÌÉÃÁÔÉÏ Î Ó ÃÁ Î Î ÏÔ ÁÕÔÏ Í ÁÔÉÃÁÌÌÙ ÒÅÃÏÒÄ Á Î ÅÖÅ Î Ôß $ÉÇÉ#ÅÒÔ É Í ÐÌÅ Í Å Î ÔÓ manual procedures to satisfy the requirements.

For each event, DigiCert records the relevant (i) date and time, (ii) type of event, (iii) success or failure, and (iv) user or system that caused the event or initiated the action. DigiCert records the precise time of any

conditions, including any evidence of malicious activity, and (3) (if necessary) prepares a written summary

DigiCert also routinely Assesses the sufficiency of the policies, procedures, information systems, technology,
a0 G[(A)-3(s)-3(s)-3(e)-BT/F1 9.96 Tf1 0 0 1 439.15 716.52 Tm0 g0 G[( )] TJETQq0.00000967.1G[-6 16m t967. Tm0 g0 G[0 0rm

routinely

after the later occurrence of:

1. the destruction of the CA Private Key; or
2. the revocation or expiration of the final CA Certificate in that set of Certificates that have an X.509v3 `basicConstraints` extension with the `cA` field set to true and which share a common Public Key corresponding to the CA Private Key;

2. Subscriber Certificate lifecycle management event records (as set forth in section 5.4.1 after the expiration of the Subscriber Certificate;
3. All security event records (as set forth in [section 5.4.1 after the event occurred;
4. All archived records and documentation related to the security of Certificate Systems, Certificate Management Systems, Root CA Systems and Delegated Third Party Systems (as set forth in section 5.5.1); and
5. All archived records and documentation relating to the verification, issuance, and revocation of certificate requests and Certificates after the later occurrence of:
   1. such records and documentation were last relied upon in the verification, issuance, or revocation of certificate requests and Certificates; or
   2. the expiration of the Subscriber Certificates relying upon such records and documentation.

DigiCert, or the RA supporting issuance, archives data for other certificate types for at least 7 years or according to their respective requirements and as contractually agreed upon.

5.5.3 Protection of Archive

Archive records are stored at a secure location and are maintained in a manner that prevents unauthorized modification, substitution, or destruction. Archives are not released except as allowed by the DCPA or as required by law. DigiCert maintains any software application required to process the archive data until the data is either destroyed or transferred to a newer medium.

If DigiCert needs to transfer any media to a different archive site or equipment, DigiCert will maintain both archived locations and/or pieces of equipment until the transfer are complete. All transfers to new archives will occur in a secure manner.

5.5.4 Archive Backup Procedures

On at least an annual basis, DigiCert creates an archive of the data listed in section 5.5.1. Each archive is stored separately and available for verification and retrieval by authorized DigiCert personnel in a secure location for the duration of the set retention period.

separately and available for verification and retrieval by authorized DigiCert personnel in a secure 1 0 0 1 145.58 310.01 Tm 0

5.5.5 Requiive

Key changeover procedures enable the smooth transition from expiring CA Certificates to new CA Certificates. Towards the end of a CA Private Key's lifetime, DigiCert ceases using the expiring CA Private Key to sign Certificates and uses the old Private Key only to sign CRLs and OCSP responder Certificates. A new CA signing Key Pair is commissioned and all subsequently issued Certificates and CRLs are signed with the new private signing key. Both the old and the new Key Pairs may be concurrently active. This key changeover process helps minimize any adverse effects from CA certificate expiration. The corresponding new CA Public Key Certificate is provided to subscribers and relying parties through the delivery methods detailed in section 6.1.4. Where DigiCert has cross-certified another CA that is in the process of a key rollover, DigiCert obtains a new CA Public Key (PKCS#10) or new CA Certificate from the other CA and distributes a new CA cross Certificate following the procedures described above.

5.7.1 Incident and Compromise Handling Procedures

DigiCert maintains internal procedures to guide personnel in response to security incidents, natural disasters, and similar events that may give rise to system compromise. These include, but are not limited to the following internally maintained documents:

- Incident Response Plan,
- Disaster Recovery Plan,
- Business Continuity Plan (DR/BCP); and
- Other internal documented process and procedure resources

DigiCert specifies in these internal procedures how it will notify and reasonably protect Application Software Suppliers, Subscribers, and Relying Parties in the event of a disaster, security compromise, or business failure.

DigiCert reviews, tests, and updates its incident response plans and procedures on at least an annual basis.

5.7.2 Computing Resources, Software, and/or Data Are Corrupted

DigiCert makes regular system backups weekly basis and maintains backup copies of its CA Private Keys, which are stored in a secure, separate location. If DigiCert discovers that any of its computing resources, software, or data operations have been compromised, DigiCert assesses the threats and risks that the compromise presents to the integrity or security of its operations or those of affected parties. If DigiCert determines that a continued operation could pose a significant risk to Relying Parties or Subscribers, DigiCert suspends such operation until it determines that the risk is mitigated.

8(i)-3(gs8(c))] TJETQq0.00000912 0 612 792 reW* nBT/F1 9.96 Tf2 (042122)0 g0 G -0. TQq0.00000912 0 612 792 reW* nBT/F1 9.96 Tf0.9411

5.7.4 Business Continuity Capabilities after a Disaster

To maintain the integrity of its services, DigiCert implements data backup and recovery procedures as part of its Business Continuity Management Plan (BCMP). Stated goals of the

6. TECHNICAL SECURITY CONTROLS

6.1.1. Key Pair Generation

All keys must be generated using a FIPS-approved method or equivalent international standard.

DigiCert's CA Key Pairs are generated by multiple trusted individuals acting in trusted roles and using a cryptographic hardware device as part of scripted key generation ceremony in the environments described in section 5.1 and logged in accordance with section 5.4. The cryptographic hardware is evaluated to FIPS 140-2 Level 3 or higher. Activation of the hardware requires the use of two-factor authentication tokens.

DigiCert creates auditable evidence during the key generation process to prove that the CPS was followed and role separation was enforced during the key generation process. DigiCert requires that an external auditor witness the generation of or review a recording of any CA keys to be used as publicly trusted root Certificates or to sign EV Certificates. For other CA key pair generation ceremonies, an Internal Auditor, external auditor, or independent third party attends the ceremony, or an external auditor examines the signed and documented record of the key generation ceremony, as allowed by applicable policy.

Subscribers must generate their keys in a manner that is appropriate for the certificate type. DigiCert never creates key pairs for publicly trusted SSL/TLS Server Certificates and will not accept a certificate request using a Key Pair previously generated by DigiCert. Certificates issued at Level 3 Hardware or at Level 4 Biometric must be generated on validated hardware cryptographic modules using a FIPS-approved method. For publicly-trusted TLS Certificates, DigiCert rejects a certificate request if the requested Public Key does not meet the requirements set forth in sections 6.1.5 and 6.1.6 of CAB Forum Baseline Requirements, $ÉÇÉ#ÅÒÔ ÈÁÓ ÂÅÅÎ Í ÁÄÅ Á×ÁÒÅ ÔÈÁÔ ÔÈÅ !ÐÐÌÉÃÁÎÔÏÓ OÒÉÖÁÔÅ +ÅÙ ÈÁÓ ÓÕ£ÅÒÅÄ Á +ÅÙ #Ï Í ÐÒÏ Í ÉÓÅÏ ÓÕÃÈ ÁÓ through the provisions of section 4.9.1.1 of the CAB Forum Baseline Requirements, if it has a known weak Private Key that is easily computed (such as a Debian weak key, see http://wiki.debian.org/SSLkeys).

DigiCert will not generate the key pair on behalf of the Subscriber if the Subscriber Certificate Request [(a)] TJET* nW* nnT934426 an extendedKeyUsage extension containing either the values id-kp-serverAuth [RFC5280] or anyExtendedKeyUsage [RFC5280].

For Adobe Signing Certificates, Subscribers must generate their Key Pairs in a medium that prevents exportation or duplication and that meets or exceeds FIPS 140-2 Level 3 certification standards.

6.1.2. Private Key Delivery to Subscriber

If DigiCert, a CMS, or an RA generates a key for a Subscriber, then it must deliver the Private Key securely to the Subscriber. Keys may be delivered electronically (such as through secure email or stored in a cloud-based system) or on a hardware cryptographic module. In all cases:

1. Except where escrow/backup services are authorized and permitted, the key generator must not ÒÅÔÁÉÎ ÁÃÃÅÓÓ ÔÏ ÔÈÅ 3ÕÂÓÃÒÉÂÅÒ¹Ó OÒÉÇÉÎÁÔÅ +ÅÙ Á£ÔÅÓ ÄÅÌÉÖÅÒÙ¹
2. The key generator must p0 958(o3(u)13(e)6((c)-4t)] TJETQq0.00000912 0 612 792 reW* nBT/F1 9.96 Tf1 0 0 1 45238

key009112 0 61/F1 9.9BT/F1 9.96 Tf1 0 0 1 329.35 254.09 Tm0 g0 G[( )] TJETQq0.420009 0 612 792 reW* nBT0.00000912 0 612 792 reW* nBT

6.1.3. Public Key Delivery to Certificate Issuer

Not Applicable.

6.1.4. CA Public Key Delivery to Relying Parties

DigiCert's Public Keys are provided to Relying Parties as specified in a certificate validation or path discovery policy file, as trust anchors in commercial browsers and operating system root store, and/or as roots signed by other CAs. All accreditation authorities supporting DigiCert Certificates and all application ÓÏÆÔ×ÁÒÅ ÐÒÏÖÉÄÅÒÓ ÁÒÅ ÐÅÒ Í ÉÔÔÅÄ ÔÏ ÒÅÄÉÔÔÒÉÃÕÔÅ $ÞÉÇÉ#ÅÒÔ‰Ó ÒÏ ÏÔ Á ÎÃÈÏÒÓ‰

DigiCert may also distribute Public Keys that are part of an updated signature Key Pair as a self-signed Certificate, as a new CA Certificate, or in a key roll-over Certificate. Relying Parties may obtain DigiCeNot

Adobe Signing	FIPS 140-2 Level 2 (Hardware)	FIPS 140-2 Level 2 (Hardware)
Rudimentary	N/A	FIPS 140-2 Level 1 (Hardware or Software)
Level 1 - Rudimentary	N/A	FIPS 140-2 Level 1 (Hardware or Software)
Level 2 – Basic	FIPS 140-2 Level 1 (Hardware or Software)	FIPS 140-2 Level 1 (Hardware or Software)

Backups of CA Private Keys are securely stored off-site and require two-person access. Re-activation of a backed-up CA Private Key (unwrapping) requires the same security and multi-person control as when performing other sensitive CA Private Key operations.

6.2.3. Private Key Escrow

DigiCert does not escrow its CA signature keys. DigiCert may provide escrow services in order to provide key recovery as described in section 4.12.1.

6.2.4. Private Key Backup

DigiCert's CA Private Keys are generated and operated

6.2.9. Method of Deactivating Private Keys

$ÉÇÉ#ÅÒÔîÓ Private Keys are deactivated via

End Entity / Client for all other purposes (non-IGTF certs)	No Stipulation	123 months

6.6.3. Life Cycle Security Controls

No stipulation.

DigiCert and RA functions are performed using networks secured in accordance with the standards documented in the DigiCert CP to prevent unauthorized access, tampering, and denial-of66 Tm0 g0 G[( )] TJETQq0.00000912 0

7. CERTIFICATE, CRL, AND OCSP PROFILES

DigiCert uses the ITU X.509, version 3 standard to construct digital Certificates for use within the DigiCert PKI. DigiCert adds certain certificate extensions to the basic certificate structure for the purposes intended by X.509v3 as per Amendment 1 to ISO/IEC 9594-8, 1995.

DigiCert meets the technical requirements set forth 319.25 679.06 Tm0 g0 G[( )] TJETQ EMC /P <MCID 2>BDC q0.912 0 612 792

sha384WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 12]
sha512WithRSAEncryption	[iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) sha512WithRSAEncryption(13]
ecdsa-with-SHA256[9]	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsa-with-SHA2 (3) 2]
ecdsa-with-SHA384[10]	[iso(1) member-body(2) us(840) ansi-X9-62 (10045) signatures(4) ecdsa-with-SHA2(3) 3]

DigiCert does not currently sign Certificates using RSA with PSS padding. SSL/TLS Server 69.07 649.3 Tm0 Qq0.00000912 0 612

7.1.8. Policy Qualifiers Syntax and Semantics

DigiCert includes brief statements in Certificates abou

- the certificate subscriber has requested that their certificate be revoked for this reason; or
- DigiCert revoked the certificate due to domain authorization or compliance issues other than those related to keyCompromise or privilegeWithdrawn.

Otherwise, the superseded CRLReason must not be used.

7.2.1 Version number(s)

DigiCert issues version 2 CRLs that may contain the following fields per

8 COMPLIANCE AUDIT AND OTHER ASSESSMENTS

The practices in this CPS are designed to meet or exceed the requirements of generally accepted industry standards, including the latest versions of the WebTrust Programs for Certification Authorities as required by the Mozilla Root Store policy and other programs listed in section 1.1 and 1.6.3.

DigiCert receives an annual period in time audit by an independent external auditor to assess DigiCert's compliance with this CPS, referenced requirements, any applicable CPs, and the WebTrust for CA programs criteria.

WebTrust auditors must meet the requirements of section 8.2 of the CAB Forum Baseline Requirements and section 3.1 of the Mozilla Root Store policy where applicable.

$ÉÇÉ#ÅÒÔÕÓ WebTrust / Federal PKI auditor does not have a financial interest, business relationship, or course of dealing that could foreseeably create a significant bias for or against DigiCert.

The audit covers DigiCert's business practices disclosure, the integrity of DigiCert's PKI operations, and $ÉÇÉ#ÅÒÔÕÓ ÃÏ Í ÐÌÉÁÎÃÅ ×ÉÔÈ ÔÈÉÓ #03 ÁÎÄ ÔÅ£ÅÒÅ ÎÃÅÄ ÒÅÑÕÉÒÅ Í ÅÎÔÓ 4ÈÅ ÁÕÄÉÔ ÖÅÒÉ£ÉÅÓ ÔÈÁÔ DigiCert is compliant with the CP, this CPS, and any MOA between it and any other PKI.

DigiCert undergoes an audit in accordance with one of the following schemes:

1. Ô 7 ÅÂ4ÒÕÓÔ for CAs v2.2.2 or ÎÅ×ÅÒ AND Ô 7 ÅÂ4ÒÕÓÔ for CAs SSL Baseline with Network Security v2.6 ÏÔ ÎÅ×ÅÒ Ï Ô
2. ETSI EN 319 411-1 v1.2.2, which includes normative references to ETSI EN 319 401 (the latest version of the referenced ETSI documents should be applied).

Whichever scheme is chosen, it incorporates periodic monitoring and/or3>86017>8601710301 131.18 347.57 Tmporates peri

On at least a quarterly basis, DigiCert performs regular internal audits against a randomly selected sample of at least three percent of its SSL/TLS Server Certificates and EV Code Signing Certificates issued since the last internal audit. Self-audits on server and code signing Certificates are performed in accordance with Guidelines adopted by the CA B forum. Audits of other certificate types will be at the discretion of DigiCert to gain reasonable assurance of compliance to applicable root program requirements.

Business continuity, inc2 75(t)8(e2315(n)t(,)] TJETQq0.00000912 0 612 792 reW* nBT/F1 9.96 Tf1 0 0 22146122 711.72 Tm

For EV Certificates, DigiCert represents to Subscribers, Subjects, Application Software Vendors that distribute $ÉÇÉ#ÅÒÔîÓ root Certificates, and Relying Parties that use a DigiCert Certificate while the Certificate is valid that DigiCert followed the EV Guidelines when verifying information and issuing EV Certificates.

This representation is limited solely to $ÉÇÉ#ÅÒÔîÓ compliance with the EV Guidelines (e.g., DigiCert may rely Ï Î ÅÒÒÏ Î ÅÏÕÓ ÉÎÆÏÒ Í ÁÔÉÏ Î ÐÒÏÖÉÄÅÄ ÉÎ ÁÎ ÁÔÔÏÒÎÅÙîÓ ÏÐÉÎÉÏÎ ÏÒ ÁÃÃÏÕÎÔÁÎÔîÓ ÌÅÔÔÅÒ ÔÈÁÔ ÉÓ ÃÈÅÃËÅÄ ÉÎ accordance with the Guidelines).

Subscriber Agreements may include additional representations and warranties that do not contradict or supersede this CPS.

9.6.2. RA Representations and Warranties

RAs represent that:

1. The 2!îÓ certificate issuance and management services conform to the DigiCert CP and this CPS,
2. Information provided by the RA does not contain any false or misleading information,
3.

9.6.4. Relying Party Representations and Warranties

Each Relying Party represents that, prior to relying on a DigiCert Certificate, it:

1. Obtained sufficient knowledge on the use of digital Certificates and PKI,
2. Studied the applicable limitations on the usage of Certificates and agrees to $ÉÇÉ#ÅÒÔîÓ ÌÉ Í ÉÔÁÔÉÏ Î Ó Ï Î liability related to the use of Certificates,
3. Has read, understands, and agrees to the DigiCert Relying Party Agreement and this CPS,
4. Verified both the DigiCert Certificate and the Certificates in the certificate chain using the relevant CRL or OCSP,
5. Will not use a DigiCert Certificate if the Certificate has expired or been revoked and
6. Will take all reasonable steps to minimize the risk associated with relying on a digital signature, including only relying on a DigiCert Certificate after considering:
    a) applicable law and the legal requirements for identification of a party, protection of the confidentiality or privacy of information, and enforceability of the transaction;
    b) the intended use of the Certificate as listed in the certificate or this CPS,
    c) the data listed in the Certificate,
    d) the economic value of the transaction or communication,
    e) the potential loss or damage that would be caused by an erroneous identification or a loss of confidentiality or privacy of information in the application, transaction, or communication,
    f) the Relying 0ÁÔÔÙîÓ previous course of dealing with the Subscriber,
    g) the Relying 0ÁÒÔÔÙîÓ understanding of trade, including experience with computer-based methods of trade, and
    h) any other indicia of reliability or unreliability pertaining to the Subscriber and/or the application, communication, or transaction.

Any unauthorized reliance on a Certificate is at Á ÐÁÒÔÔÙîÓ own risk.

Relying Party Agreements may include additional representations and warranties.

9.6.5. Representations and Warranties of Other Participants

No stipulation.

4. Liability related to the security, usability, or integrity of products not supplied by DigiCert, including

9.10.1. Term

This CPS and any amendments to the CPS are

proceedings related to the CPS or any DigiCert product or service.

This CPS is subject to all applicable laws and regulations, including United States restrictions on the export of software and cryptography products. Subject to section ω‰τ‰Uΐ΅Ó Notice and Consent to Use Private Information contained in Certificates, DigiCert meets the requirements of the European data protection laws and has established appropriate technical and organization measures against unauthorized or unlawful processing of personal data and against the loss, damage, or destruction of personal data.

9.16.1. Entire Agreement

DigiCert contractually obligates each RA to comply with this CPS and applicable industry guidelines. DigiCert also requires each party using its products and services to enter into an agreement that delineates the terms associated with the product or service. If an agreement has provisions that differ from this CPS, then the agreement with that party controls, but solely with respect to that party. Third parties may not rely on or bring action to enforce such agreement.

9.16.2. Assignment

Any entities operating under this CPS may not assign their rights or obligations without the prior written consent of DigiCert. Unless specified otherwise in a contact with a party, DigiCert does not provide notice of assignment.

9.16.3. Severability

If any provision of this CPS is held invalid or unenforceable by a competent court or tribunal, the remainder of the CPS will remain valid and enforceable. Each provision of this CPS that provides for a limitation of liability, disclaimer of a warranty, or an exclusion of damages is severable and independent of any other provision.

9.16.4. Enforcement (attorneys' fees and waiver of rights)

DigiCert may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related ôÏ ÔÈÁÔ ÐÁÒÔÙ½Ó ÃÏ ÎÃÕÃô‰ $ÉÇÉ#ÅÒÔô‰Ó ÆÁÉÌÕÒÅ ÔÏ ÅÎÆÏÒÃÅ Á ÐÒÏÖÉÓÉÏ Î ÏÆ ÔÈËÉÓ #03 ÄÏÅÓ Î ÏÔ ×ÁËÖÅ $ÉÇÉ#ÅÒÔô‰Ó ÒÉÇÈÔ ÔÏ enforce the same provision later or right to enforce any other provision of this CPS. To be effective, waivers must be in writing and signed by DigiCert.

9.16.5. Force Majeure

DigiCert is not liable for any delay or failure to perform an obligation under this CPS to the extent that the ÄÅÌÁÙ ÏÒ ÆÁÉÌÕÒÅ ÉÓ ÃÁÕÓÅÄ ÂÙ ÁÎ ÏÃÃÕÒÒÅÎÃÅ ÂÅÙÏÎÄ $ÉÇÉ#ÅÒÔô‰Ó ÒÅÁÓÏÎÁÂÌÅ ÃÏÎÔÒÏÌ‰ 4ÈÅ ÏÐÅÒÁÔÏÎ ÏÆ ÔÈÅ)ÎÔÅÒÎÅÔ ÉÓ ÂÅÙÏÎÄ $ÉÇÉ#ÅÒÔô‰Ó ÒÅÁÓÏÎÁÂÌÅ ÃÏÎÔÒÏÌ‰

To the extent permitted by applicable law, Subscriber Agreements and Relying Party Agreements shall include a force majeure clause protecting DigiCert.

No stipulation.

APPENDIX A: SAMPLE OPINION LETTER

[ ]

To: DigiCert, Inc.

2801 N. Thanksgiving Way
Suite 500
Lehi, UT 84043
Email: support@digicert.com
Fax: 801-705-0481

Re: Digital Certificate for *[Exact company name of client – see footnote 1]* ("Client")

This firm represents Client, who asked that I, as its [*accountant, lawyer, solicitors, barrister, advocate, etc.*], attest to the following information obtained as related

BT/F1 9.96 Tf1 0 0 1 TQq96 5Tm0 g0 G[(th337>BDETQq0.00000912

'9200912 0 612 792 re 309 0 02 0 612 792 re BT /F1 9 96 T 96 Tf 1 0 0 1 84 1

on Client's digital certificate application and have provided this letter solely for the benefit of DigiCert in connection with Client's application for a digital certificate. No other person or entity may rely on this letter without my express written consent. This letter shall not be quoted in whole or in part, used, published or otherwise referred to or relied upon in